


















Expressive Designs with Infinite Possibilities...

Transform any commercial space with carpet tile planks. They offer a wide variety of patterning possibilities giving more freedom to create unique, expressive designs.


Carpet Tile Plank Installation Options:



Mix & Match for Even More Creative Freedom.

For more design options and an even greater variety of patterning possibilities, combine carpet tile planks and squares. Pairing the two sizes delivers bold and creative interiors.

Plank and Square Carpet Tile Installation Options:



COLORSTRAND®

PERFORMANCE & DESIGN

- Wide variety of colors for excellent design flexibility
- Unsurpassed colorfastness to light and to atmospheric contaminants
- Excellent durability and longevity of color
- Resistant to harsh cleaning agents
- Mohawk Protection Plus Soil & Stain Resistant Technology

SUSTAINABILITY

- Contains an average of 40% pre-consumer recycled content
- CRI Green Label Plus® certified

WARRANTY

- Lifetime Limited Wear Warranty
- Lifetime Static Warranty
- Lifetime Limited Colorfastness To Light Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants Warranty
- 10 Year Limited Stain Resistance Warranty

UltraSet®

UltraSet is a premium vinyl carpet tile backing system containing a minimum of 39% recycled content. With over 20 years in the marketplace, its ultra dense construction is engineered to offer superior dimensional stability, high tuft bind that is resistant to edge ravel, and is impervious to moisture, while giving enhanced cushioning properties.

Primary Backing Pre-Coat Polymer Premium Vinyl Polymer Fiberglass Scrim

PERFORMANCE

- Unsurpassed dimensional stability no growing or shrinking
- Constructed with an ultra dense five layer cushion backing system
- Carpet tiles are impervious to moisture damage from spills and water extraction cleaning
- Construction features superior tuft bind that is highly resistant to edge ravel
- Proven performance for over 20 years

SUSTAINABILITY

- Minimum of 39% pre-consumer recycled content by total weight
- Contributes to LEED credits
- CRI Green Label Plus certified
- NSF/ANSI 140 Gold Certified

WARRANTY

Limited Lifetime Edge Ravel, Zippering,
 Delamination and Dimensional Stability Warranty

INSTALLATION


- Direct glue down installation
- Floating installation using FlexLok Tabs

Specifications

CARPET PLANK

1	Brand	Aladdin Commercial
	Collection	Cognitive Plank
	Style Name / Number	Visual Awakening / 2B170
	Construction	Tufted
	Surface Appearance	Textured Patterned Loop
	Gauge	1/12" (47.00 rows per 10 cm)
	Density	6,697
	Dye Method	100% Solution Dyed
	Fiber Type	Colorstrand® SD Nylon
	Stain Release Technology	Mohawk Protection Plus Stain
	Soil Release Technology	Mohawk Protection Plus Soil
	Primary Backing	Non Woven Synthetic
	Secondary Backing	UltraSet®
	Recycled Content	Contains 39% pre-consumer recycled content
	•	by total product weight
	Indoor Air Quality	Green Label Plus Certified # 1098
	NSF 140	Gold
	Size	12" x 36" (.3048 m x .9144 m)
	Yds/Ctn	6
	Installation Method	Half-Lap / Brick Ashlar / Basket Weave /
		Plank Half-Lap / Random / Herringbone
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties	Lifetime Limited Wear Warranty
		Lifetime Limited Static Protection Warranty
		Lifetime Limited Edge Ravel, Zippering, Delamination
		and Dimensional Stability Warranty
		Lifetime Limited Colorfastness to Light Warranty
		10 Year Limited Stain Resistance Warranty
		10 Year Limited Colorfastness to Atmospheric Contamina

ПΙ	Brand	Aladdin Commercial
ш	Collection	Cognitive Plank
ž	Style Name / Number	Complex Reasoning / 2B171
۲	Construction	Tufted
- │	Surface Appearance	Textured Patterned Loop
ᆸ	Gauge	1/12" (47.00 rows per 10 cm)
CARPET PLANK	Density	7,783
CA	Dye Method	100% Solution Dyed
	Fiber Type	Colorstrand® SD Nylon
	Stain Release Technology	Mohawk Protection Plus Stain
	Soil Release Technology	Mohawk Protection Plus Soil
	Primary Backing	Non Woven Synthetic
	Secondary Backing	UltraSet®
	Recycled Content	Contains 39% pre-consumer recycled content
		by total product weight
	Indoor Air Quality	Green Label Plus Certified # 1098
	NSF 140	Gold
	Size	12" x 36" (.3048 m x .9144 m)
	Yds/Ctn	6
	Installation Method	Half-Lap / Brick Ashlar / Basket Weave /
		Plank Half-Lap / Random / Herringbone
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties	Lifetime Limited Wear Warranty
		Lifetime Limited Static Protection Warranty
		Lifetime Limited Edge Ravel, Zippering, Delamination
		and Dimensional Stability Warranty
		Lifetime Limited Colorfastness to Light Warranty
		10 Year Limited Stain Resistance Warranty
nts		10 Year Limited Colorfastness to Atmospheric Contaminants





Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.AladdinCommercial.com I 800.233.4490





