






IntuitiveCollection_Brochure.indd 1 6/2/16 7:07 AM




IntuitiveCollection_Brochure.indd 2 6/2/16 7:07 AM



IntuitiveCollection_Brochure.indd 3 6/2/16 7:07 AM



IntuitiveCollection_Brochure.indd 4 6/2/16 7:07 AM



IntuitiveCollection_Brochure.indd 5 6/2/16 7:07 AM





PERFORMANCE & DESIGN

- Wide variety of colors for excellent design flexibility
- Unsurpassed colorfastness to light and to atmospheric contaminants
- Excellent durability and longevity of color
- Resistant to harsh cleaning agents
- Mohawk Protection Plus Soil & Stain Resistant Technology

SUSTAINABILITY

- Contains an average of 25% pre-consumer recycled content
- CRI Green Label Plus® certified


WARRANTY

- Lifetime Limited Wear Warranty
- Lifetime Static Warranty
- Lifetime Limited Colorfastness To Light Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants Warranty
- 10 Year Limited Stain Resistance Warranty

IntuitiveCollection_Brochure.indd 6 6/2/16 7:07 AM

Weldlok®

Weldlok® is the standard broadloom backing system specifically designed for commercial applications. The Weldlok backing is laminated to our products utilizing a commercial thermoset adhesive. This adhesive is designed to encapsulate and penetrate the carpet back stitch in the main application coat, while the second application coat secures the secondary backing to the carpet substrate for a cost effective performance standard.



SUSTAINABILITY

- Minimum 36% pre-consumer recycled content by total product weight*
- NSF/ANSI 140 Gold certified
- Contributes to LEED credits
- CRI Green Label Plus certified

INSTALLATION

• Direct glue or stretch in installations

WARRANTY

• Limited 10 Year Wear Warranty

IntuitiveCollection_Brochure.indd 7 6/2/16 7:07 AM

^{*} Recycled content claim third party verified by UL (Underwriters Laboratory)



Town Center II 30

Town Center II offers an array of beautiful colors from soft, warm neutrals to bold, vivid accents. Available in our Weldlok® broadloom backing system.



IntuitiveCollection_Brochure.indd 8 6/2/16 7:07 AM



Scholarship II

Scholarship II features soft tonal, textured colorations made with our ColorStrand SD™ nylon. Available in broadloom with Weldlok® or Weldlok® Plus and Ultraset® 24" x 24" carpet tiles.



IntuitiveCollection_Brochure.indd 9 6/2/16 7:07 AM




Choice Step

Aladdin Commercial's premier line of luxury vinyl tile (LVT) offers maximum performance in demanding environments. Each plank and tile features our M-Force $^{\text{TM}}$ Enhanced Urethane Finish. Maintenance on Choice Step is simple and can be done without the use of acrylic polishes.

Features

- M-Force[™] Enhanced Urethane finish
- 20 mil wear layer protects against commercial traffic
- 6" x 48" and 7.25" x 48" planks
- Updated 18" x 18" and 18" x 36" tiles
- Optional underlayment with Mohawk AccuSound™
- No-polish maintenance
- Primary adhesive is Mohawk M700
- May use Mohawk MS160 spray adhesive or Mohawk M95.0 acrylic adhesive
- FloorScore® Certified
- Limited 10 Year Commercial Warranty
- 25 Year Residential Warranty





Choice Step features a 20 mil commercial wear layer with M-Force™ Enhanced Urethane finish offering polish-optional for cost-effective maintenance.



IntuitiveCollection_Brochure.indd 10 6/2/16 7:07 AM

Specifications

ĽВ			ĽВ		
ا	Brand	Aladdin Commercial	ا	Brand	Aladdin Commercial
Σ	Collection	Intuitive Collection	Σ	Collection	Intuitive Collection
0	Style Name / Number	Contemplate / 2B65		Style Name / Number	Smart & Sharp / 2B49
L0	Construction	Tufted	2	Construction	Tufted
BROADLOO	Surface Appearance		ROADLOO	Surface Appearance	
R 0		1/10" (39.37 rows per 10 cm)	R 0		1/10" (39.37 rows per 10 cm)
В	Tufted Weight	· · · · · · · · · · · · · · · · · · ·	ω	Tufted Weight	
	Density	, . •		Density	, , , , ,
	Dye Method			Dye Method	
	Fiber Type			Fiber Type	
	"	Mohawk Protection Plus Stain		**	Mohawk Protection Plus Stain
	Soil Release Technology				Mohawk Protection Plus Soil
	Primary Backing			Primary Backing	
	Secondary Backing			Secondary Backing	
	, .	Contains a minimum of 36% pre-consumer recycled			Contains a minimum of 36% pre-consumer recycled
	nooyoloa oontont	content by total product weight		nooyoloa contone	content by total product weight
	Indoor Air Quality	Green Label Plus Certified # 8216		Indoor Air Quality	Green Label Plus Certified # 8216
	NSF 140			NSF 140	
	Size			Size	
	Pattern Repeat			Pattern Repeat	
	'	ASTM E 648 Class 1 (Glue Down)			ASTM E 648 Class 1 (Glue Down)
	Smoke Density			Smoke Density	
	Static Propensity			Static Propensity	
	' '	Lifetime Limited Wear Warranty		' '	Lifetime Limited Wear Warranty
ı	vvarianues	Lifetime Static Protection Warranty		vvairaitucs	Lifetime Static Protection Warranty
		Lifetime Limited Colorfastness to Light Warranty			Lifetime Limited Colorfastness to Light Warranty
		10 Year Limited Stain Resistance Warranty			10 Year Limited Stain Resistance Warranty
		10 Year Limited Colorfastness to Atmospheric			10 Year Limited Colorfastness to Atmospheric
		To Tour Emilion Coloridotifico to Titificopriorio			To rour Emilion Coloridations to Atmospheria
		Contaminants			Contaminants
ſΘ		Contaminants	ſθ		Contaminants
ß	Brand		ß	Brand	
	Collection	Aladdin Commercial Intuitive Collection		Collection	Aladdin Commercial Intuitive Collection
Σ		Aladdin Commercial Intuitive Collection	Σ		Aladdin Commercial Intuitive Collection
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2864	Σ	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2848
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop	Σ	Collection Style Name / Number	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted		CollectionStyle Name / Number ConstructionSurface AppearanceGauge	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm)
	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm)	OADLOOM	CollectionStyle Name / Number ConstructionSurface Appearance	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm)
Σ	Collection Style Name / Number Construction Surface Appearance Gauge	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²)	OADLOOM	CollectionStyle Name / Number ConstructionSurface AppearanceGauge	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²)
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight Density	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight Density Dye Method Fiber Type	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight Density Dye Method Fiber Type Stain Release Technology Soil Release Technology Primary Backing	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tifted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok®	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok®
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight Density Dye Method Fiber Type Stain Release Technology Soil Release Technology Primary Backing	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight
Σ	Collection Style Name / Number Construction Surface Appearance Gauge	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5.824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold
Σ	Collection Style Name / Number Construction Surface Appearance Gauge Tufted Weight Density Dye Method Fiber Type Stain Release Technology Soil Release Technology Primary Backing Secondary Backing Recycled Content Indoor Air Quality NSF 140 Size	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5.824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m)	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m)
Σ	Collection	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12" width (3.66 m) 1.2" W x 1.3" L
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12" width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down)	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12" width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down)
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tifted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tifted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (33.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty Lifetime Static Protection Warranty Lifetime Static Protection Warranty	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty Lifetime Static Protection Warranty Lifetime Static Protection Warranty
Σ	Collection. Style Name / Number Construction	Aladdin Commercial Intuitive Collection Ruminate / 2B64 Tufted Graphic Loop 1/10" (39.37 rows per 10 cm) 22 oz./yd (746 g/m²) 5,824 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36% pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 0.8" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty	OADLOOM	Collection	Aladdin Commercial Intuitive Collection Pure & Simple / 2B48 Tufted Graphic Loop 1/10" (33.37 rows per 10 cm) 22 oz./yd (746 g/m²) 7,765 100% Solution Dyed Colorstrand® SD Nylon Mohawk Protection Plus Stain Mohawk Protection Plus Soil Woven Polypropylene Weldlok® Contains a minimum of 36 % pre-consumer recycled content by total product weight Green Label Plus Certified # 8216 Gold 12' width (3.66 m) 1.2" W x 1.3" L ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC-134 Under 3.5 KV Lifetime Limited Wear Warranty



Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.


Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

 $For current and complete specifications \ please \ call \ tech \ support \ at \ 888-387-9881 \ or \ visit \ www.mohawkflooring.com \ l \ 800.233.4490$



Contaminants





Contaminants

IntuitiveCollection_Brochure.indd 12 6/2/16 7:07 AM