

Mass Media Tile Collection

Breaking News, Special Coverage





Breaking News Quarter Turn
Cover: Special Coverage Quarter Turn




Special Coverage Quarter Turn



UltraSet® Matrix

Aladdin Commercial continues its dedication to sustainable solutions with UltraSet® Matrix, the next generation in carpet tile backing. Using advanced materials and patent pending engineering, UltraSet® Matrix lowers environmental impact without sacrificing performance. UltraSet® Matrix simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle.



PERFORMANCE

- Provides permanent dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- 10 Year Limited Carpet Tile Warranty for: Wear, Static Protection, Edge Raveling/Zippering, Delamination, Dimensional Stability
- Seamless transitions between carpet and hard surface flooring with 2.5mm LVT resilient products

INSTALLATION

- Simplifies complex floor preparation with no need to encapsulate old adhesives**
- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok Tab System
- Superior construction offers reliability for the life of your installation

SUSTAINABILITY

- UltraSet® Matrix is manufactured using less energy than other carpet tile products
- Polyolefin backing contains no plasticizers
- Contains a minimum of 40% pre-consumer recycled content based on total product weight*
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable
- Able to ship more per box resulting in a lower environmental impact from transportation

*Recycled content claim third party verified by UL (Underwriters Laboratory)

**Consult Mohawk Installation Instructions for any applicable restrictions



EnviroStrand[™] SD

PERFORMANCE & DESIGN

- An amazing range of style and color options available for design flexibility
- EnviroStrand[™] SD is constructed with our patented Continuum[™] technology, providing the ultimate innovation in PET carpet
- Mohawk Protection Plus Soil Resistant Technology
- Ease of maintenance

SUSTAINABILITY

- Contains a minimum of 90% recycled content
- Requires less energy to produce in the manufacturing process
- Through our patented process, Mohawk recycles 6.2 billion PET bottles every year
- CRI Green Label Plus[®] certified

WARRANTY


- 10 Year Limited Wear Warranty
- 10 Year Static Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants
- 10 Year Limited Stain Resistance Warranty
- 10 Year Colorfastness To Light

Specifications

CARPET TILE	Brand	Aladdin Commercial
	Collection	Mass Media
	Style Name / Number	Breaking News / QA178
	Construction	Tufted
	Surface Appearance	Textured Patterned Loop
	Gauge	1/12" (47.00 rows per 10 cm)
	Density	8,000
	Dye Method	100% Solution Dyed
	Fiber Type	Envirostrand™ SD PET
	Stain Release Technology	N/A
	Soil Release Technology	Mohawk Protection Plus Soil
	Primary Backing	Non Woven Synthetic
	Secondary Backing	UltraSet® Matrix
	Indoor Air Quality	Green Label Plus Certified # 100055
	NSF 140	N/A
	Size	24" x 24" (.6096 m x .6096 m)
	Yds/Ctn	10.66 sqyd/ctn
	Installation Method	Quarter Turn / Brick Ashlar / Vertical Ashlar
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Country of Origin	Made in USA
	Warranties	10 Year Limited Wear Warranty
		10 Year Limited Static Protection
		10 Year Limited Stain Resistance Warranty
		10 Year Limited Colorfastness to Light Warranty
		10 Year Limited Colorfastness to Atmospheric Contaminants

CARPET TILE	Brand	Aladdin Commercial
	Collection	Mass Media
	Style Name / Number	Special Coverage / QA179
	Construction	Tufted
	Surface Appearance	Textured Patterned Loop
	Gauge	1/12" (47.00 rows per 10 cm)
	Density	6,939
	Dye Method	100% Solution Dyed
	Fiber Type	Envirostrand™ SD PET
	Stain Release Technology	N/A
	Soil Release Technology	Mohawk Protection Plus Soil
	Primary Backing	Non Woven Synthetic
	Secondary Backing	UltraSet® Matrix
	Indoor Air Quality	Green Label Plus Certified # 100055
	NSF 140	N/A
	Size	24" x 24" (.6096 m x .6096 m)
	Yds/Ctn	10.66 sqyd/ctn
	Installation Method	Quarter Turn / Brick Ashlar / Vertical Ashlar
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Country of Origin	Made in USA
	Warranties	10 Year Limited Wear Warranty
		10 Year Limited Static Protection
		10 Year Limited Stain Resistance Warranty
		10 Year Limited Colorfastness to Light Warranty
		10 Year Limited Colorfastness to Atmospheric Contaminants

Installation Instructions:



Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.AladdinCommercial.com I 800.233.4490

