











# **Enviro**Strand SD

Solution Dyed PET Fiber

#### PERFORMANCE & DESIGN

- An amazing range of style and color options available for design flexibility
- EnviroStrand<sup>™</sup> SD is constructed with our patented Continuum<sup>™</sup> technology, providing the ultimate innovation in Solution Dyed PET carpet
- Mohawk Protection Plus Soil Resistant Technology
- Fase of maintenance

#### **SUSTAINABILITY**

- Contains a minimum of 90% post-consumer recycled content
- Requires less energy to produce in the manufacturing process
- Through our patented process, Mohawk recycles 6.2 billion PET bottles every year
- CRI Green Label Plus® certified

#### **WARRANTY**

- 10 Year Limited Wear Warranty
- 10 Year Static Warranty
- 10 Year Stain Resistance Warranty
- 10 Year Limited Colorfastness to Light Warranty
- 10 Year Limited Colorfastness to Atmospheric Contaminants

### UltraSet® Matrix

Aladdin Commercial continues its dedication to sustainable solutions with UltraSet® Matrix, the next generation in carpet tile backing. Using advanced materials and patent pending engineering, UltraSet® Matrix lowers environmental impact without sacrificing performance. UltraSet® Matrix simplifies floor preparation and installation, greatly reduces sub-floor moisture concerns, and is easier to ship and handle.

# Primary Backing Pre-Coat Polymer Polyolefin Backing Layer Fiberglass Fused Matrix

#### **PERFORMANCE**

- Provides permanent dimensional stability
- Tiles are impervious to moisture damage from spills and water extraction cleaning
- Up to Lifetime Limited Carpet Tile Warranty for: Wear, Static Protection, Edge Raveling Zippering, Delamination, Dimensional Stability\*
- Seamless transitions between carpet and hard surface flooring with 2.5mm LVT resilient products

#### **INSTALLATION**

- Simplifies complex floor preparation with no need to encapsulate old adhesives\*\*
- Greatly reduces sub-floor moisture concerns and saves money on mitigation
- Worry free installation with no visible moisture present using our Flexlok Tab System
- Superior construction offers reliability for the life of your installation

## SUSTAINABILITY

- UltraSet® Matrix is manufactured using less energy than other carpet tile products
- Polyolefin backing contains no plasticizers
- Contains a minimum of 40% pre-consumer recycled content based on total product weight\*\*\*
- CRI Green Label Plus certified
- Declare Red List Free
- Recyclable
- Able to ship more per box resulting in a lower environmental impact from transportation

<sup>\*</sup>Lifetime or 10 Year Limited Warranty varies by fiber type, please see specifications for details

<sup>\*\*</sup>Consult Mohawk Installation Instructions for any applicable restrictions


<sup>\*\*\*</sup>Recycled content claim third party verified by UL (Underwriters Laboratory)

## **Grass Valley Collection**

Redefining the norm of mixing different materials and styles, Grass Valley offers 10 types of wood mixed with 3 stones. Created with deconstructivism in mind, this collection offers freedom of form and endless opportunities for unique artistic expression.

#### **Features**

- 2.5 mm overall thickness
- 8" x 48" wood planks and 12" x 24" stone tiles
- 20 mil wear layer
- M-Force<sup>™</sup> Enhanced Urethane Finish
- FloorScore® Certified
- 10 Year Limited Commercial Warranty
- 25 Year Limited Residential Warranty
- Made in America









872 Toasted Oak



9817 Flint



9411 Gray Mahogany



938 Good Gray



1714 Natural Mahogany



1357 Natural Cherry



32232 Natural Oak



9140 Silver Oak



9211 White Pine



9112 Gray Matter



941 Warm Gray



358 Stippled Gray

# Specifications

CARPETTILE	Size	Media Spin Collection Daily Wire / QA194 Tufted Textured Patterned Loop 1/12 (47.00 rows per 10 cm) 6,063 100% Solution Dyed EnviroStrand™ SD PET Mohawk Protection Plus Soil Non Woven Synthetic UltraSet® Matrix Green Label Plus Certified #100055 24" x 24" (.6096 m x .6096 m) 10.66 sq yd/ctn Brick Ashlar / Quarter Turn ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450		Primary Backing	Media Spin Collection Streaming Online / OA195  Tufted Textured Patterned Loop 1/12 (47.00 rows per 10 cm) 6,697 100% Solution Dyed EnviroStrand™ SD PET Mohawk Protection Plus Soil Non Woven Synthetic UltraSet® Matrix Green Label Plus Certified #100055 24" x 24" (.6096 m x .6096 m) 10.66 sq yd/ctn Brick Ashlar / Quarter Turn ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450
------------	------	---	--	-----------------	--

Installation Instructions:







Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from due lot to due lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.mohawkflooring.com I 800.233.4490





