



Overview Collection

Directions, Realigned

Aladdin
COMMERCIAL



Directions 989, Grass Valley 9411
Cover: Realigned 558



Realigned 989




Directions 558

Grass Valley Collection

Redefining the norm of mixing different materials and styles, Grass Valley offers 11 types of wood mixed with 3 stones. Created with deconstructivism in mind, this collection offers freedom of form and endless opportunities for unique artistic expression.

Features

- 2.5 mm overall thickness
- 8" x 48" wood planks and 12" x 24" stone tiles
- 20 mil wear layer
- M-Force™ Enhanced Urethane Finish
- FloorScore® Certified
- 10 Year Limited Commercial Warranty
- 25 Year Limited Residential Warranty
- Made in America



4913 Dark Greige



872 Toasted Oak



9817 Flint



9411 Gray Mahogany



938 Good Gray



1843 Sienna Walnut



1714 Natural Mahogany



1357 Natural Cherry



32232 Natural Oak



9140 Silver Oak



9211 White Pine



9112 Gray Matter



941 Warm Gray



358 Stippled Gray



colorSTRAND® SD NYLON

PERFORMANCE & DESIGN

- Wide variety of colors for excellent design flexibility
- Unsurpassed colorfastness to light and to atmospheric contaminants
- Excellent durability and longevity of color
- Resistant to harsh cleaning agents
- Mohawk Protection Plus Soil & Stain Resistant Technology

SUSTAINABILITY


- Contains a minimum of 30% pre-consumer recycled content
- CRI Green Label Plus® certified

WARRANTY

- Lifetime Limited Wear Warranty
- Lifetime Static Warranty
- Lifetime Limited Colorfastness To Light Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants Warranty
- 10 Year Limited Stain Resistance Warranty

Weldlok®

Weldlok® is the standard broadloom backing system specifically designed for commercial applications. The Weldlok backing is laminated to our products utilizing a commercial thermoset adhesive. This adhesive is designed to encapsulate and penetrate the carpet back stitch in the main application coat, while the second application coat secures the secondary backing to the carpet substrate for a cost effective performance standard.



PERFORMANCE

- Excellent pattern match capabilities

SUSTAINABILITY

- Minimum 45% pre-consumer recycled content by total product weight
- NSF/ANSI 140 Gold certified
- Contributes to LEED credits
- CRI Green Label Plus certified

INSTALLATION

- Direct glue or stretch in installations

WARRANTY

- Limited 10 Year Wear Warranty

Specifications

BROADLOOM	Brand.....	Aladdin Commercial
	Collection.....	Overview Collection
	Style Name / Number	Directions / 2B181 / AQ181
	Construction.....	Tufted
	Surface Appearance.....	Textured Patterned Loop
	Gauge	1/10" (39.37 rows per 10 cm)
	Density	5,714
	Dye Method.....	100% Solution Dyed
	Fiber Type	Colorstrand® SD Nylon
	Stain Release Technology	Mohawk Protection Plus Stain
	Soil Release Technology.....	Mohawk Protection Plus Soil
	Primary Backing	Woven Polypropylene
	Secondary Backing.....	Weldlok®
	Indoor Air Quality.....	Green Label Plus Certified # 8216
	NSF 140.....	Gold
	Size	12' (3.66 m)
	Pattern Repeat.....	1.2" W x 1.2" L
	Flammability.....	ASTM E 648 Class 1 (Glue Down)
	Smoke Density.....	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties.....	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Colorfastness to Light Warranty 10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants


BROADLOOM	Brand.....	Aladdin Commercial
	Collection.....	Overview Collection
	Style Name / Number	Realigned / 2B180 / AQ180
	Construction.....	Tufted
	Surface Appearance.....	Textured Patterned Loop
	Gauge	1/10" (39.37 rows per 10 cm)
	Density	6,461
	Dye Method.....	100% Solution Dyed
	Fiber Type	Colorstrand® SD Nylon
	Stain Release Technology	Mohawk Protection Plus Stain
	Soil Release Technology.....	Mohawk Protection Plus Soil
	Primary Backing	Woven Polypropylene
	Secondary Backing.....	Weldlok®
	Indoor Air Quality.....	Green Label Plus Certified # 8216
	NSF 140.....	Gold
	Size	12' (3.66 m)
	Pattern Repeat.....	1.2" W x 0.8" L
	Flammability.....	ASTM E 648 Class 1 (Glue Down)
	Smoke Density.....	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties.....	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Warranty Lifetime Limited Colorfastness to Light Warranty 10 Year Limited Stain Resistance Warranty 10 Year Limited Colorfastness to Atmospheric Contaminants

Aladdin[™]
COMMERCIAL

Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.mohawkflooring.com | 800.233.4490



colorSTRAND[®]
SD NYLON

PROTECTION[™]
Soil Protection Plus Stain Blocker
Plus

