

Teamwork Collection

Amity Tile, Compound Tile, Guild Tile, Rapport Tile





Compound Tile 989 Black Velvet
Cover: Amity Tile 989 Black Velvet



Teamwork Collection

A lesson in flexibility, resourcefulness and beauty

- No two tiles are alike, but work flawlessly together on your floor
- All installation methods available
- Diverting useful materials from the waste stream is good for the environment
- All styles are available in Quickship*

The styles in our Teamwork Collection were designed to celebrate the breadth of color available in today's carpet market while providing the customer with the simplest installation and flooring management possible. The patterns are composed of five of the most popular, neutral colors mixed in with a kaleidoscope of randomly chosen end-of-lot yarns. These multi-colored yarns are diverted from our excess yarn lots and given new life in strikingly beautiful carpet rather than being down-cycled into other industry products.

The beauty of these products is in the fact that the embedded pattern and the neutral color remain consistent while the accent colors change, making each tile unique. It is this subtle color variation that contributes to the ease of installation by eliminating concerns about matching dye lots and limited installation methods.

The Teamwork Collection is the perfect solution for those seeking to celebrate color in a subtle way as well as those who recognize the positive environmental impact that comes from redefining beautiful with repurposed yarn.

* Up to 2,000 square yards in 10 business days from credit approval.



Rapport Tile 989 Black Velvet




Guild Tile 989 Black Velvet
Choice Step P006S Dovetail Gray




Amity Tile and Color Pop Tile

Colorways and Coordinates



Each Amity tile colorway has a guaranteed accent stripe that coordinates directly with our Color Pop solid, all loop textured tiles. Color Pop is available in a total of 48 colors as 24x24 tiles so don't let our recommendations limit your creativity. Install Color Pop as a border, inset or accent tile.




Color Pop Tile (646) Parakeet
Amity Tile (131) Madras





Color Pop Tile (142) Ground Tumeric
Amity Tile (585) Sea Breeze



Color Pop Tile (252) Electric Orange
Amity Tile (878) Mudslide



Color Pop Tile (353) Tango
Amity Tile (989) Black Velvet



Color Pop Tile (555) Moroccan Tile
Amity Tile (968) Smoky Martini



PERFORMANCE & DESIGN

- Wide variety of colors for excellent design flexibility
- Unsurpassed colorfastness to light and to atmospheric contaminants
- Excellent durability and longevity of color
- Resistant to harsh cleaning agents
- Mohawk Protection Plus Soil & Stain Resistant Technology

SUSTAINABILITY


- Contains an average of 25% pre-consumer recycled content
- CRI Green Label Plus® certified

WARRANTY

- Lifetime Limited Wear Warranty
- Lifetime Static Warranty
- Lifetime Limited Colorfastness To Light Warranty
- 10 Year Limited Colorfastness To Atmospheric Contaminants Warranty
- 10 Year Limited Stain Resistance Warranty

UltraSet®

UltraSet is a premium vinyl carpet tile backing system containing a minimum of 39% recycled content. With over 20 years in the marketplace, its ultra dense construction is engineered to offer superior dimensional stability, high tuft bind that is resistant to edge ravel, and is impervious to moisture, while giving enhanced cushioning properties.



PERFORMANCE

- Unsurpassed dimensional stability - no growing or shrinking
- Constructed with an ultra dense five layer cushion backing system
- Carpet tiles are impervious to moisture damage from spills and water extraction cleaning
- Construction features superior tuft bind that is highly resistant to edge ravel
- Proven performance for over 20 years

SUSTAINABILITY

- Minimum of 39% pre-consumer recycle content by total weight
- Contributes to LEED credits
- CRI Green Label Plus certified
- NSF/ANSI 140 Gold Certified

WARRANTY

- Limited Lifetime Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty

INSTALLATION

- Direct glue down installation
- Floating installation using FlexLok Tabs

Specifications

CARPET TILE □	
Brand	Aladdin Commercial
Collection	Teamwork
Style Name / Number	Amity Tile / 2B107
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Gauge	1/12" (47.00 rows per 10 cm)
Dye Method	Solution Dyed/Yarn Dyed
Fiber Type	Colorstrand® Nylon
Stain Release Technology	Mohawk Protection Plus Stain
Soil Release Technology	Mohawk Protection Plus Soil
Primary Backing	Non Woven Synthetic
Secondary Backing	UltraSet®
Recycled Content	Contains a minimum of 39% pre-consumer recycled content by total product weight
Indoor Air Quality	Green Label Plus Certified #1098
NSF 140	Gold
Size	24" x 24" (.6096 m x .6096 m)
Installation Method	Monolithic / Vertical Ashlar / Brick Ashlar Quarter Turn / Multi Directional
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty 10 Year Limited Stain Resistance (Food & Beverage Only)

CARPET TILE


Brand	Aladdin Commercial
Collection	Teamwork
Style Name / Number	Guid Title / ZB110
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Gauge	1/12" (47.00 rows per 10 cm)
Dye Method	Solution Dyed/Yarn Dyed
Fiber Type	Colorstrand® Nylon
Stain Release Technology	Mohawk Protection Plus Stain
Soil Release Technology	Mohawk Protection Plus Soil
Primary Backing	Non Woven Synthetic
Secondary Backing	UltraSet®
Recycled Content	Contains a minimum of 39% pre-consumer recycled content by total product weight
Indoor Air Quality	Green Label Plus Certified #1098
NSF 140	Gold
Size	24" x 24" (.6096 m x .6096 m)
Installation Method	Monolithic / Vertical Ashlar / Brick Ashlar Quarter Turn / Multi Directional
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Lifetime Limited Edge Ravel, Zippering, Delamination and Dimensional Stability Warranty 10 Year Limited Stain Resistance (Food & Beverage Only)

<input type="checkbox"/>	Brand	Aladdin Commercial
	Collection	Teamwork
	Style Name / Number	Compound Tile / 2B67
	Construction	Tufted
	Surface Appearance	Textured Patterned Loop
	Gauge	1/12" (47.00 rows per 10 cm)
	Dye Method	Solution Dyed/Yarn Dyed
	Fiber Type	Colorstrand® Nylon
	Stain Release Technology	Mohawk Protection Plus Stain
	Soil Release Technology	Mohawk Protection Plus Soil
	Primary Backing	Non-Woven Synthetic
	Secondary Backing	UltraSet®
	Recycled Content	Contains a minimum of 39% pre-consumer recycled content by total product weight
	Indoor Air Quality	Green Label Plus Certified #1098
	NSF 140	Gold
	Size	24" x 24" (.6096 m x .6096 m)
	Installation Method	Quarter Turn / Monolithic / Brick Ashlar Vertical Ashlar / Multi Directional
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	ASTM E 662 Less than 450
	Static Propensity	AATCC-134 Under 3.5 KV
	Warranties	Lifetime Limited Wear Warranty Lifetime Limited Static Protection Lifetime Limited Edge Ravel, Zippering, Delamination, and Dimensional Stability Warranty 10 Year Limited Stain Resistance (Food & Beverage Only)

CARPET TILE	Aladdin Commercial
Brand	Teamwork
Collection	Rapport Tile / 2B111
Style Name / Number	Tufted
Construction	Textured Patterned Loop
Surface Appearance	1/12" (47.00 rows per 10 cm)
Gauge	Solution Dyed/Yarn Dyed
Dye Method	Colorstrand® Nylon
Fiber Type	Mohawk Protection Plus Stain
Stain Release Technology	Mohawk Protection Plus Soil
Soil Release Technology	Non-Woven Synthetic
Primary Backing	UltraSet®
Secondary Backing	Contains a minimum of 39% pre-consumer recycled content by total product weight
Recycled Content	Green Label Plus Certified #1098
Indoor Air Quality	Gold
NSF 140	24"x 24" (.6096 m x .6096 m)
Size	Monolithic / Vertical Ashlar / Brick Ashlar
Installation Method	Quarter Turn / Multi Directional
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Warranties	Lifetime Limited Wear Warranty
	Lifetime Limited Static Protection
	Lifetime Limited Edge Ravel, Zippering, Delamination
	and Dimensional Stability Warranty
	10 Year Limited Stain Resistance (Food & Beverage Only)

Styles are designed to celebrate the breadth of multi-colored yarn and are paired with a consistent neutral background. Each tile is uniquely colored of repurposed yarns and will vary due to the nature of the random yarns selected for the product; however, each work flawlessly together in a random, mergeable installation. Colors may vary from brochure and sample materials and may not be representative in actual production.

Installation Instructions:



Aladdin[™]
COMMERCIAL

Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.mohawkflooring.com | 800.233.4490



Up to 2,000 sq. yds. available within 10 business days or less



