







Mekong Delta: 490 Cuppa Joe
Cover: Long Bien: 5 Granite Valley






Halong Bay Collection

Aladdin Commercial's new Halong Bay LVT collection features a beautiful variety of colorways and visuals to create natural-looking wood floors. Available in 6" x 48" and 7" x 48" plank sizes.

Features:

- 6" x 48" and 7" x 48" nominal (style dependent)
- 6 and 12 mil commercial wear layer
- 100% waterproof
- Stain and scratch resistant
- Ease of installation with Uniclic® Multifit Locking System
- FloorScore® Certified
- Limited 6 Year Light Commercial Warranty (Long Bien 4.5 & 6.0, Mekong Delta 5.0 & 6.0)
- Limited 15 Year Residential Warranty (Long Bien 2.0, Mekong Delta 2.0 & 4.5)
- Limited 25 Year Residential Warranty (Long Bien 4.5 & 6.0, Mekong Delta 5.0 & 6.0)



Halong Bay Color Options

Long Bien



810 Turntable



101 Mascarpone



908 Booktrails



812 Juneau



303 Triple Bock



4 Froth



14 Carlsbad



5 Granite Valley

Mekong Delta



190 Kid Glove



330 Sailcloth



840 Reef Gold



220 Sweeper Beige



860 Simply Ecu



490 Cuppa Joe



980 Smoked Hiratake



930 Desert Sunset

Note: Halong Bay Collection planks contain different colors and tones within each carton to create unique color play on the floor.

Specifications

LVT	Brand	Aladdin Commercial
	Style Name / Number	Long Bien 2.0 / AH089
	Product Type	Luxury Vinyl Tile
	Overall Gauge	2mm
	Wear Layer	6 mil
	Finish	Commercial Urethane Finish
	Colors Available	8
	Size	7" x 48" (Actual)
	Packaging SF/Carton	58 sq.ft/ctn
	Cartons/Pallet	50 ctns/pallet
	Weight/Carton	44.97 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Mekong Delta 2.0 / AH092
	Product Type	Luxury Vinyl Tile
	Overall Gauge	2mm
	Wear Layer	6 mil
	Finish	Commercial Urethane Finish
	Colors Available	8
	Size	6" x 48" (Actual)
	Packaging SF/Carton	56.01 sq.ft/ctn
	Cartons/Pallet	48 ctns/pallet
	Weight/Carton	43.83 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Long Bien 4.5 / AH090
	Product Type	Luxury Vinyl Tile (Rigid)
	Overall Gauge	4.5mm
	Wear Layer	12 mil
	Finish	Commercial Urethane Finish
	Colors Available	8
	Size	7" x 48" (Actual)
	Packaging SF/Carton	33.4 sq.ft/ctn
	Cartons/Pallet	55 ctns/pallet
	Weight/Carton	47.22 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Long Bien 6.0 / AH091
	Product Type	Luxury Vinyl Tile (Rigid)
	Overall Gauge	6mm
	Wear Layer	12 mil
	Finish	Commercial Urethane Finish
	Colors Available	8
	Size	7" x 48" (Actual)
	Packaging SF/Carton	23.86 sq.ft/ctn
	Cartons/Pallet	55 ctns/pallet
	Weight/Carton	48.28 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Mekong Delta 4.5 / AH093
	Product Type	Luxury Vinyl Tile (Rigid)
	Overall Gauge	4.5mm
	Wear Layer	12 mil
	Finish	Enhanced Urethane Finish
	Colors Available	8
	Size	6" x 48" (Actual)
	Packaging SF/Carton	32.15 sq.ft/ctn
	Cartons/Pallet	60 ctns/pallet
	Weight/Carton	44.80 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Mekong Delta 5.0 / AH094
	Product Type	Luxury Vinyl Tile (Rigid)
	Overall Gauge	5mm
	Wear Layer	12 mil
	Finish	Enhanced Urethane Finish
	Colors Available	8
	Size	6" x 48" (Actual)
	Packaging SF/Carton	28.14 sq.ft/ctn
	Cartons/Pallet	60 ctns/pallet
	Weight/Carton	45.37 lbs/ctn
LVT	Brand	Aladdin Commercial
	Style Name / Number	Halong Bay (Universal Specifications)
	Classification	ASTM F1700 - Class III, Type A - Smooth, Type B - Embossed
	Squareness	ASTM F 2421 - Passes - $\pm 0.10"$ max
	Size and Tolerance	Tile ASTM F2055; Plank ASTM F2421 - Passes - $\pm 0.016"/$ linear foot
	Thickness	ASTM F386 - Passes - as specified $\pm 0.005"$
	Flexibility	ASTM F137 - Passes - 1" mandrel
	Dimensional Stability	ASTM F2199 - Passes - 0.020"/linear foot max
	Static Load Limit	ASTM F970 (modified) - 1500 psi
	Residual Indentation	ASTM F1914 - Passes - Average less than 8% maximum single reading 10%
	Resistance to Chemicals	ASTM F925 - Passes - No more than a slight change in surface dylling, surface attack or staining
	Resistance to Light	ASTM F1515 - Passes - $\Delta E < 8$
LVT	Resistance to Heat Flux	ASTM E649 - Class 1 (> 0.45 W/cm ²)
	Smoke Density	ASTM E662 Part A - Less than 450
	Installation Method	AH089 / AH092 - Glue Down; AH090/ AH091 / AH093 / AH094 / AH095 - Clic
	Adhesive	M95.0 Resilient Flooring Adhesive, MS160 Spray or M700 Pressure Sensitive Adhesive
	Optional Underlayment	Mohawk AccuSound™ - Glue Down; Mohawk ActiveSound - Clic
	Certification	FloorScore® Certified
	Warranty	Limited 6 Year Light Commercial Warranty Limited 25 Year Residential Warranty

Aladdin[™]
COMMERCIAL

Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

Mohawk is providing this architect folder for the purpose of promoting our commercial business. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations. We recommend the use of chair pads on all commercial installations.

For current and complete specifications please call tech support at 888-387-9881 or visit www.AladdinCommercial.com I 800.233.4490

