



Inspired Installations

DURKAN CARPET TILE



Pictured: Terra Collection, Sotto Terra, 999
Front cover: Modern Antiquities, Nomadic Wanderer, 957

DURKAN

CARPET TILE

Durkan brings the flexibility of carpet tile to hospitality interiors with high-fashion options in custom and running line patterns. Carpet tile offers infinite design flexibility, effortless installation and ease of maintenance. Mix and match coordinating patterns, styles and colors to create your own unique look or define a particular space. Use 12" x 36" and 24" x 24" carpet tiles to inspire new spaces.



STYLES


Paranoid 24BY24 (Shown)
Over the Edge 24BY24

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 23 oz. per sq. yd. (780 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Paranoid



PICTURED

Delirious
Paranoid 24BY24



Installation Method





STYLES

Dazed & Confused 24BY24
 Deep Thinker 24BY24 (Shown)

SPECIFICATIONS

Construction Tufted
Fiber Type Duracolor® Premium Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 24 oz. per sq. yd. (814 g/m²)
Dye Method Yarn Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Deep Thinker




PICTURED

Delirious
 Deep Thinker 24BY24



Installation Method



DISASSEMBLE



STYLES



Spotted Influx 12BY36
 Hexagonal Influx 12BY36
 Circular Influx 12BY36 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Level Patterned Loop
Size	All styles: 12" x 36" (.3048 m x .9144 m)
Face Weight	All styles: 19 oz. per sq. yd. (644 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Circular Influx



PICTURED

Disassemble
 Circular Influx 12BY36



Installation Method



HIGHLY POLISHED



STYLES

Highly Polished 24BY24 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 38.0 oz. per sq.yd. (1288 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS



PICTURED

Highly Polished 24BY24



Installation Method



HORIZONS EDGE



STYLES


Equatorial Rim 24BY24 Before Dawn 24BY24
 Terraforming 24BY24 (Shown) Heavy Earth 24BY24

SPECIFICATIONS

Construction Tufted
Fiber Type Colorstrand® SD Nylon
Surface Appearance Level Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 14 oz. per sq. yd. (576 g/m2)
Dye Method Solution Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Terraforming



PICTURED

Horizons Edge
 Terraforming 24BY24



Installation Method



MIND READER




STYLES

Mind Reader 12BY36 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Patterned Tip Shear
Size	12" x 36" (.3048 m x .9144 m)
Face Weight	18 oz. per sq. yd. (678 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS



PICTURED

Mind Reader 12BY36



Installation Method



MODERN ANTIQUITIES



STYLES

Nomadic Wanderer 12BY36 (Shown)
 Reborn Wisdom 12BY36 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Patterned Tip Shear
Size	All styles: 12" x 36" (.3048 m x .9144 m)
Face Weight	All styles: 18 oz. per sq. yd. (678 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Reborn Wisdom



148 263 473 566 589


661 728 837 849 861

937 949 957 969 989



PICTURED

Modern Antiquities
 Nomadic Wanderer 12BY36



Reborn Wisdom 12BY36



Installation Method



COLLECTION

NO TURNING BACK



STYLES



Starboard Way 24BY24 (Shown)
Cast Off 24BY24

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® SD Nylon
Surface Appearance	Textured Patterned Loop
Size	All Styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 22 oz. per sq. yd. (746.02 g/m2)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Starboard Way



PICTURED

No Turning Back
Starboard Way 24BY24



Coordinating tile:
Color Effects 24BY24



Installation Method



OFF THE MENU



STYLES

Off the Menu 24BY24 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® SD Nylon
Surface Appearance	Textured Patterned Loop
Size	24" x 24" (.6096 m x .6096 m)
Face Weight	22 oz. per sq. yd. (746.02 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS



PICTURED


Off the Menu 24BY24




Installation Method



Off the Menu 24BY24



Coordinating tile:
Intelligence 24BY24



Installation Method



RESURGENT



STYLES


Fever Pitch 24BY24	Breaking Rank 24BY24	Fighting Stance 24BY24	Clear the Room 24BY24
Bad Attitude 24BY24	Street Racer 24BY24	Society Down 24BY24	
Battle Born 24BY24 (Shown)	Backstreet Brawl 24BY24	Desperado 24BY24	

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® SD Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 15 oz. per sq. yd. (509 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Battle Born



PICTURED

Resurgent
Battle Born 24BY24



Coordinating tile:
Color Effects 24BY24



Installation Method



RESURGENT CONT'D.



STYLES


Fever Pitch 24BY24 **Breaking Rank 24BY24** **Fighting Stance 24BY24** (Shown) **Clear the Room 24BY24**
Bad Attitude 24BY24 **Street Racer 24BY24** **Society Down 24BY24**
Battle Born 24BY24 **Backstreet Brawl 24BY24** **Desperado 24BY24**

SPECIFICATIONS

Construction Tufted
Fiber Type Colorstrand® SD Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 15 oz. per sq. yd. (509 g/m²)
Dye Method Solution Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Battle Born




PICTURED

Resurgent
Fighting Stance 24BY24



Coordinating tile:

Satri 24BY24



Installation Method:




Coordinating tile:

Color Effects 24BY24



Installation Method



RESURGENT CONT'D.



STYLES



Fever Pitch 24BY24 **Breaking Rank 24BY24** **Fighting Stance 24BY24** **Clear the Room 24BY24** (Shown)
Bad Attitude 24BY24 **Street Racer 24BY24** (Shown) **Society Down 24BY24**
Battle Born 24BY24 **Backstreet Brawl 24BY24** **Desperado 24BY24**

SPECIFICATIONS

Construction Tufted
Fiber Type Colorstrand® SD Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 15 oz. per sq. yd. (509 g/m2)
Dye Method Solution Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static


COLORWAYS

Style shown: *Clear the Room*




PICTURED

Resurgent
Clear the Room 24BY24



Street Racer 24BY24



Installation Method:



Coordinating tile:
Color Effects 24BY24



Installation Method



SAVILE ROW



STYLES


Stitch Length 12BY36 (Shown) Backstitch 24BY24
 Lining Run 12BY36 Overlock 24BY24
 Clean Finish 12BY36 (Shown) Alteration 24BY24

SPECIFICATIONS

Construction Tufted
Fiber Type Duracolor® Premium Nylon
Surface Appearance Textured Patterned Loop
Size Saddle Stich, Lining Run, Clean Finish: 12" x 36" (.3048 m x .9444 m)
 Saddle Stich, Overlock, Alteration: 24" x 24" (.6096 m x .6096 m)
Face Weight All Styles: 17 oz. per sq. yd. (576 g/m²)
Dye Method Solution Dyed / Yarn Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Stitch Length



PICTURED

Savile Row
 Clean Finish 12BY36



Stitch Length 12BY36



Installation Method:



Coordinating tile:

Color Effects 12BY36



Installation Method



SENSE OF SPACE



STYLES

Classic Form 24BY24	Modern Functional 24BY24 (Shown)
Defining Vision 24BY24	Sleek Find 24BY24
Elegantly Smart 24BY24	Stately Stylish 24BY24

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® SD Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 15 oz. per sq. yd. (509 g/m2)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Modern Functional



PICTURED

Sense of Space
Modern Functional 24BY24



Coordinating tile:
Intelligence 24BY24



Installation Method



SENSE OF SPACE CONT'D.



STYLES


Classic Form 24BY24 (Shown) Modern Functional 24BY24
 Defining Vision 24BY24 Sleek Find 24BY24
 Elegantly Smart 24BY24 Stately Stylish 24BY24

SPECIFICATIONS

Construction Tufted
Fiber Type Colorstrand® SD Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 15 oz. per sq. yd. (509 g/m2)
Dye Method Solution Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Modern Functional




PICTURED

Sense of Space
 Classic Form 24BY24



Coordinating tile:
 Intelligence 24BY24



Installation Method





STYLES


Bar Hopping 24BY24
 On Draft 24BY24 (Shown)
 Dining Out 24BY24

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 17 oz. per sq. yd. (576 g/m2)
Dye Method	Solution Dyed / Yarn Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Static


COLORWAYS

Style shown: On Draft



PICTURED

Socializing
 On Draft 24BY24



7131

Coordinating tile:
 Intelligence 24BY24



145



575

Installation Method



STREET SMARTS



STYLES


Other Side 24BY24 Switch Back 24BY24
 Look-See 24BY24 Hyper Drive 24BY24 (Shown)

SPECIFICATIONS

Construction Tufted
Fiber Type Duracolor® Premium Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 23 oz. per sq. yd. (780 g/m2)
Dye Method Solution Dyed / Yarn Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Hyper Drive




PICTURED

Street Smarts
 Hyper Drive 24BY24



149



939

Installation Method



STREET SMARTS CONT'D.



STYLES


Other Side 24BY24 Switch Back 24BY24
 Look-See 24BY24 (Shown) Hyper Drive 24BY24

SPECIFICATIONS

Construction Tufted
Fiber Type Duracolor® Premium Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 23 oz. per sq. yd. (780 g/m2)
Dye Method Solution Dyed / Yarn Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Look-See



PICTURED

Street Smarts
 Look-See 24BY24



Installation Method



STREET SMARTS CONT'D.



STYLES


Other Side 24BY24 (Shown) Switch Back 24BY24 (Shown)
 Look-See 24BY24 Hyper Drive 24BY24

SPECIFICATIONS

Construction Tufted
Fiber Type Duracolor® Premium Nylon
Surface Appearance Textured Patterned Loop
Size All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight All styles: 23 oz. per sq. yd. (780 g/m2)
Dye Method Solution Dyed / Yarn Dyed
Warranties Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Switch Back




PICTURED

Street Smarts
 Switch Back 24BY24



Other Side 24BY24



Installation Method





STYLES

Even Numbers 24BY24 (Shown)
 Calculated 24BY24 (Shown)
 Get In Line 24BY24 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Get In Line & Calculated: Textured Patterned Cut and Loop Pipeline: Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	Get In Line: 26 oz per sq. yd. (882 g/m ²) Pipeline & Calculated: 21 oz per sq. yd. (712 g/m ²)
Dye Method	Solution Dyed / Yarn Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Get In Line




PICTURED


Sync Up
 Get In Line 24BY24



Even Numbers 24BY24



Calculated 24BY24



Installation Method



TELEPATHIC



STYLES


Anyone There 24BY24 (Shown)
 Supernatural Vision 24BY24 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Anyone There: Textured Patterned Cut and Loop Supernatural Vision: Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 22 oz. per sq. yd. (746 g/m ²)
Dye Method	Solution Dyed / Yarn Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Supernatural Vision




PICTURED

Telepathic
 Supernatural Vision 24BY24



Anyone There 24BY24



Installation Method





STYLES


Raso Terra 12BY36 (Shown)
 Sole Terra 12BY36 (Shown)
 Sotto Terra 24BY24

SPECIFICATIONS

Construction	Tufted
Fiber Type	Colorstrand® SD Nylon
Surface Appearance	Textured Patterned Loop
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 16 oz. per sq. yd. (542 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Colorfastness to Light, 10 Year Limited Colorfastness to Atmospheric Contaminants, 10 Year Stain Warranty, Lifetime Static

COLORWAYS

Style shown: Sole Terra



PICTURED

Terra
 Sole Terra 12BY36



Raso Terra 12BY36



Installation Method





STYLES

Chariot Race 24BY24

Pilus 24BY24 (Shown)


Romulus 24BY24 (Shown)

SPECIFICATIONS

Construction	Tufted
Fiber Type	Duracolor® Premium Nylon
Surface Appearance	Patterned Tip Shear
Size	All styles: 24" x 24" (.6096 m x .6096 m)
Face Weight	All styles: 18 oz. per sq.yd. (678 g/m ²)
Dye Method	Solution Dyed
Warranties	Lifetime Limited Carpet Tile Warranty, Lifetime Limited Duracolor Stain Warranty, Lifetime Static


COLORWAYS

Style shown: Chariot Race




PICTURED

Tesseræ
Romulus 24BY24



Pilus 24BY24



Installation Method




DELIRIOUS COLOR PROGRESSION

DELIRIOUS

Mirrored-Fade Installation Break Down

Style shown: *Paranoid*



958 941 241 241 941 958

DELIRIOUS


How do I create a transition?

Continuous Color between Gradations



Dazed & Confused 263 Deep Thinker 231 Dazed & Confused 652

Gradation between Continuous Color



Deep Thinker 803 Dazed & Confused 655 Deep Thinker 768

AVAILABLE IN 48 COLORS



121 142 168 252 258 352 353



354 374 384 453 483 529 545



546 555 559 566 575 595 629



631 641 646 655 675 676 678



686 699 717 721 726 758 833



841 862 863 866 883 889 917



933 934 964 976 985 996

12BY36 24BY24


Solid, all loop textured tile available in 48 colors. Select colors also available as 12x36 plank. Install as a border, inset or accent tile (quarter-turn only).

TECHNICAL INFORMATION

BACKINGS


EcoFlex™ ICT

EcoFlex™ ICT is a premium vinyl modular backing system containing a minimum of 35% recycled content. With over 20 years in the marketplace, its ultra dense construction is engineered to offer superior performance.



EcoFlex™ NXT

A model of sustainable design, EcoFlex™ NXT is a carpet tile backing that is up to 40% lighter than similar competitive products, making it easier to install and less expensive to ship. It also incorporates a minimum of 35% pre-consumer recycled content. EcoFlex™ NXT is Living Building Challenge Red List Free. Recycled content claim third party verified by UL (Underwriters Laboratory)




BACKINGS

EcoFlex™ NXT AIR

The next evolution in cushion backed carpet tile, EcoFlex™ NXT AIR offers enhanced comfort under foot and significant acoustic properties. It also incorporates an average of 50% recycled content (pre- and post-consumer) by total product weight. Available as a custom option, requires a minimum order of 500 sq yds. and 10% coverage

- Noise Reduction Coefficient is 0.30 - carpet tiles should reduce sound by 30%
- EcoFlex™ NXT AIR is a custom option and requires a minimum order. Please contact your rep for more information.
- Impact Insulation Class 70 - our product is more than 2x better in reducing sound transmission than hard surfaces and 40% better than standard carpet



ADHESIVE

FlexLok

FlexLok adhesive tabs enable a fast, dry installation of carpet tile with the flexibility of a floating modular floor. Use this no-glue tab system on any substrate with up to 99% RH, when coupled with our EcoFlex NXT tile backing.



TECHNICAL INFORMATION

READY-TO-DESIGN



Ready to Design provides designers with creative flexibility, an ability to order the quantity they need — without excessive minimum purchase requirements — and speedy delivery options!

How It Works

- Select from some of our most popular patterns
- Choose a fixed colorway or personalize select styles with custom accents
- Visualize designs with varied installations and rooms
- Order a digital or printed sample of your design
- Finished product ships in 6 to 8 weeks
- All personalized styles have a low minimum requirement of 250 square yards



HOW TO ORDER

Please contact your Durkan representative for detailed ordering information or if you have any questions.

Samples: (888) 740-6936, option 2

Customer Service: (800) 981-2009

Installation/Maintenance Info: (800) 833-6954

(Mohawk Field Technical Services Department)

Mohawk Group Design Center

508 East Morris Street, Dalton, GA 30721

(800) 241-4580

(800) 554-6637

INDUSTRY LEADER

SUSTAINABILITY

THE LEADER IN TRANSPARENCY AND RED LIST FREE PRODUCTS

Mohawk Group & Durkan lead the building products industry in transparency with the largest selection of products with Declare Labels, Health Product Declarations (HPDs), and Environmental Product Declarations (EPDs). What's more, we offer over 490 Red List Free Declared products.

OUR COMMITMENT


As a Gaia sponsor of the International Living Future Institute (ILFI), we are committed to revolutionary programs that are redefining the green building movement. These include the ILFI's Living Building Challenge and Declare programs.

Declare Labels are a 'nutrition label' for the building industry, providing ingredients, source and manufacturing locations. We offer you:

- The most products with Declare Labels
- The most Red List Free products

We have eliminated the mystery of product ingredients so you get total product transparency.*

* Transparency documentation can be found at www.mohawkgroup.com



Mohawk utilizes multiple platforms for disclosing our transparency information, including: Designer Pages, Mindful Materials and the Declare Database.



Pictured: Tesserae Collection, Chariot Race, 728, shown with Morikato, 811, from the Global Entry Collection

INSTALLATION METHODS

12BY36

MONOLITHIC



RANDOM



MONOLITHIC STEPPING



HERRINGBONE



HALF-LAP



BRICK ASHLAR



BASKETWEAVE



PLANK HALF-LAP



12BY36 + 24BY24

MONOLITHIC STEPPING



HALF-LAP



RANDOM



BRICK ASHLAR



HERRINGBONE



HERRINGBONE WRAP



24BY24

MONOLITHIC



QUARTER TURN



BRICK ASHLAR



VERTICAL ASHLAR



MULTI-DIRECTIONAL



DURKAN

CARPET TILE

Durkan's product offerings include award-winning carpet in multiple formats: innovative LVT, hardwoods with luxe sophistication, and a wealth of designer rugs to complete any space. We lead the industry in custom carpet design, and we can fulfill every hospitality flooring need with incomparable style and service.

At Durkan, your vision is our blueprint. This is the place your ideas will thrive. We provide total flooring solutions that breathe life into your space.

Durkan. Imagine That.



Pictured: Tesserae Collection, Romulus, 957, shown with Secoya, 989, from the Hot & Heavy Collection
Back Cover: Terra Collection, Sole, 999



DURKAN. IMAGINE THAT.
431 S. Green Street, Dalton, GA 30721
(800) 241-4580 | Durkan.com

A division of  Mohawk Group

CTILE SLT0003861

